SANITARY SEWER QUALIFIED PRODUCTS LIST

The City of Baton Rouge/Parish of East Baton Rouge Department of Public Works has a Qualified Products List (QPL) to evaluate new products which shall be used on the department's typical sanitary sewer construction and maintenance projects. This QPL is available for download at the following website:

http://www.brprojects.com/SSOProgram/DesignDoingBusiness.aspx?grpID=cc

Materials identified on the QPL do not require a certificate of compliance or data submittal unless the need for such a document is specifically identified in the material requirements, by specifications, or departmental request. Materials on the QPL will be re-evaluated on an as needed basis. In addition to materials on the list meeting certification requirements, they can also be inspected and/or tested to verify conformance to the specifications. Any materials presently on the list and subsequently failing to conform to the certification or specification requirements can be removed at any time.

Be advised, the QPL is for informational purposes and is not intended to be all inclusive. If the product meets the specifications outlined in the Contract Documents but is not on the QPL, it may be used as long as the necessary certification documents are submitted according to the specifications, reviewed, and deemed as an approved equal by the Owner and Engineer.

Inclusion of a product on this list does not imply that the product meets any or all applicable State or Federal regulations related to safety or environmental issues in effect at the time. The manufacturer's Material Safety Data Sheet (MSDS) should be referred to before and during use of any product appearing on this list. This list is intended as an information tool for contractors, engineering consultants, and Department personnel to identify products meeting the Department's standards or specifications for particular applications. The use of any product listed on this site by a contractor shall in no way relieve contractors from their contractual obligations.

DISCLAIMER: This QPL assumes no liability on the part of the City of Baton Rouge/Parish of East Baton Rouge or its Program Manager for the products included nor is it intended to promote any product, supplier or manufacturer over another.

(Product shall conform to section 802- Gravity Sewer Pipe)

HYDRAULIC CEMENT MATERIAL			
PRODUCT SOURCE CODE PRODUCT SOURCE			
802.01	Strong-Plug	Strong Company	
802.02	EMACO	Master Builders Technologies	
802.03	Preco Plug	FOSROC Incorporated	

NEW PIPE-EXISTING PIPE CONNECTIONS			
PRODUCT	PRODUCT	SOURCE	
SOURCE CODE			
802-05-01	Stainless Steel Shear Rings	Fernco, Inc.	
	5000 Series Repair Couplings		
	StrongBack RC Series Repair Couplings		
802-05-02	Flex Seal Adjustable Repair Couplings	Mission Rubber Co.	
	Heavy Weight Couplings		

PIPE-MANHOLE CONNECTIONS			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
802-06-01	Flexible Rubber Boot Connector - 106/406 SS Wedge, 206, & 306 Series	Kor-N-Seal	
802-06-02	Integrally Cast Flexible Connectors	A-Lok X-Cel	
802-06-03	Flexible Rubber Boot Connector - PSX: Direct Drive	Press-Seal Gasket Corp.	
802-06-04	Flexible Rubber Boot Connector – Cobra (Wedge) Style	Hamilton Kent, LLC	

	SERVICE LATERAL CONNECTIONS			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	APPLICATIONS	
802-07-01	Flexible Saddle Wye	Fernco	Connection to CIPP Lining	
802-07-02	PVC Saddle Wye	J-M Eagle	Connection to CIPP Lining	
802-07-03	Sealant	Hydrophilic Water Stop	Connection to CIPP Lining	
802-07-04	Compressive-fit Service Connections	Inserta-Tee	Sliplining/FRP/Clay/Closed Profile PVC Pipe	
802-07-05	Electrofusion Branch Saddles	Central Plastics	Pipe Bursting/HDD	
802-07-06	PVC Saddle Wye	GPK Products, Inc.	Connection to CIPP Lining	

(Product shall conform to section 803- Sewer Manhole)

STANDARD PRECAST CONCRETE MANHOLES			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
CODL			
803-4.2-01	Std. 48" Manhole	Gainey's Concrete Products, Inc.	
	Std. 60" Manhole	Holden, LA	
	Std. 72" Manhole		
803-4.2-02	Std. 48" Manhole	Northshore Concrete Products, LLC.	
	Std. 60" Manhole	Albany, LA	
	Std. 72" Manhole		
803-4.2-03	Std. 48" Manhole	Barber Brothers	
		Baton Rouge, LA	
803-4.2-04	Std. 48" Manhole	Glenco Precast	
		St. Gabriel, LA	

Note: Shop drawing submittals of manholes are still required for approval.

EXTERNAL SEAL WRAP FOR RISER RINGS AND FRAME			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
803-4.7a-01	Infi-Shield® Uni-Band	Sealing Systems Inc.	
803-4.7a-02	External X-85 Seal	Cretex Companies	
803-4.7a-03	E3 Chimney Seal	Adaptor, Inc.	

EXTERNAL JOINT WRAP			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
803-4.7b-01	Infi-Shield® Gator Wrap	Sealing Systems Inc.	
803-4.7b-02	EZ-Wrap Joint Wrap	Press-Seal Gasket Corporation	
803-4.7b-03	External Cretex Wrap	Cretex Companies	
803-4.7b-04	Seal Barrel Wrap	Adaptor, Inc.	

(Product shall conform to section 805- Submersible Pump Stations)

	PUMPS			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	
805-3-01	Explosion proof submersible non-clog pump	Wilo/EMU	In accordance with the engineers design	
805-3-02	Explosion proof submersible non-clog pump	Fairbanks- Morse	In accordance with the engineers design	
805-3-03	Explosion proof submersible non-clog pump	Flygt	In accordance with the engineers design	
805-3-04	Explosion proof submersible non-clog pump	Hydromatic	In accordance with the engineers design	
805-3-05	Explosion proof submersible non-clog pump	Yeomans- Chicago	In accordance with the engineers design	

(Product shall conform to section 806- Manhole Rehabilitation)

PATCHING MATERIAL			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
806-3.6-01	Strong-Seal QSR	Strong Company	
806-3.6-02	Fast Set Bench Repair	Standard Cement Materials	
806-3.6-03	Quadex Hyperform	Quadex Inc.	

HYDRAULIC CEMENT			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
806-3.7-01	Strong-Seal Strong Plug	Strong Company	
806-3.7-02	Custom Plug Cement	Standard Cement Materials	
806-3.7-03	Instaplug No. F-180	Sauereisen	
806-3.7-04	ML-10 Hydraulic Cement Mortar	Madewell Products Corporation	

CHEMICAL GROUT			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
806-3.8-01	Hydro Active Multigel NF	De neef Construction Chemicals	
806-3.8-02	Hydro Active Polyurethane Grout No. F-370	Sauereisen	

CEMENTITIOUS LINER MATERIAL			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
806-3.9a-01	Strong-Seal MS-2 C	Strong Company	
806-3.9a-02	Quadex Aluminaliner	Quadex	
806-3.9a-03	Maximum CA Cement	Standard Cement Materials	
806-3.9-04	SewerSeal No. F-170	Sauereisen	
806-3.9-05	ML-CA Calcium Aluminate Mortar	Madewell Products Corporation	

EPOXY LINER MATERIAL				
PRODUCT SOURCE CODE	PRODUCT	SOURCE		
806-3.9b-01	Raven 405	Raven Lining Systems		
806-3.9b-02	S-301 Epoxy Spray System	Warren Lining Systems		
806-3.9b-03	STANDARDSHIELD	Standard Cement Materials		
806-3.9b-04	SewerGard No. 210	Sauereisen		
806-3.9b-05	DS-5 Ultra High Build Epoxy	Madewell Products Corporation		
806-3.9b-06	Quadex Structure Guard	Quadex		

RISER RING SEALANT					
PRODUCT SOURCE CODE PRODUCT SOURCE					
806-3.1-01 Anchor IT #2447 PROCHEM INC.					

STAINLESS STEEL INSERTS					
PRODUCT SOURCE CODE PRODUCT SOURCE					
806-3.4-01	Tetherlok stainless steel "Rainstopper" manhole cover insert	Southwestern Packing & Seals			

(Product shall conform to section 808 & 809 Cured-in-Place (CIPP) & Laterals)

CIPP LINING TUBE MATERIAL			
PRODUCT SOURCE CODE	SOURCE		
808/809-3b-01	Applied Felts		
808/809-3b-02	Insituform Technologies		
808/809-3b-03	Liner Products		
809-3b-01	LMK Enterprises		
809-3b-02	Trelleborg Epros LCR-S hat profile (85/15)		

	RESIN MATERIAL				
PRODUCT SOURCE CODE	PRODUCT	SOURCE			
808/809-3e-01	Polylite #33420, DION 9800- 20	Reichhold			
808/809-3e-02	#COR72-AA-455HV, #COR72-AA-656, #CORVE8190	Interplastic Corporation			
808/809-3e-03	#AROPOL MR12018, HETRON Q6405	Ashland Specialty Chemical Company			
808/809-3e-04	701, 102NA	AOC			
808/809-3e-05	L704NET-11, L704AAP-12	Vipel			
809-3e-01	Epros Silicate Resin Type W1 & Type S1	Trelleborg			

	CATALYST MATERIAL				
PRODUCT SOURCE CODE	PRODUCT	SOURCE			
808/809-3f-01	Perkadox 16, Perkadox BTW-50, Norox 600	Akzo	Primary Catalysts		
808/809-3f-02	Trigonox C, Norox TBPB	Akzo	Secondary Catalysts		
808/809-3f-03	N, N-dimethyl aniline (DMA)	Puritan Products	Secondary Catalysts		

(Product shall conform to section 810- Sliplining)

CLOSED PROFILE PVC SLIPLINER				
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	SDR/ STIFFNESS
810-2f-01	Vylon Slipliner Pipe	Lamson Vylon Pipe Cleveland, OH	21" and larger	PS 46

	SOLID WALL PVC SLIPLINER				
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	SDR/ STIFFNESS	
810-2g-01	Vylon Slipliner Pipe	Lamson Vylon Pipe Cleveland, OH	18" and larger	PS 46	

	SOLII	D WALL HDPE SLIPLINE	R	
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	SDR/ STIFFNESS
810-2h-01	Driscoplex	Chevron Phillips Pipe	18" and larger	SDR 17
810-2h-02	JM Eagle	HDPE Pipe	Pressure rating: 160 psi	SDR 11 (max)

FIBERGLASS REINFORCED POLYMER (FRP) PIPE				
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	SDR/ STIFFNESS
810-2j-01	Hobas Pipe	Hobas Pipe USA Houston, TX	18" and larger	PS 46
810-2j-02	Flowtite Pipe	USCPS, LLC Zachary, LA	18" and larger	PS 46

(Product shall conform to section 1011- Structural Steel)

	STANDARD CASTINGS				
PRODUCT SOURCE CODE	PRODUCT	SOURCE			
JOURCE CODE					
1011-5-01	Manhole Frames & Covers	East Jordan Iron Works (EJIW)			
	Manhole C.I. Riser Rings	East Jordan, MI			
	ARV Frame & Covers	Ardmore, OK			
	Cleanout Covers	Youngstown, OH			
	Valve Boxes				

(Product shall conform to section 1016.1- Gravity Sewer Pipe)

DIRECT BURY PVC PIPE					
SOLID WALL					
PRODUCT SOURCE CODE	SOURCE	SIZ TIN	CE/RA NG	SDR/ ST	STIFFNESS JOINTS
1016-1.1.1.1a-01	J-M Eagle	4" ·	" - 24" Depth < 20ft - SDR 35/ SN 46 Depth > 20ft - SDR 26/ SN 115		spigot-type
1016-1.1.1.1a-02	CertainTeed	4" ·	- 24″	-	20ft - SDR 35/ SN 46Integral bell and spigot-type20ft - SDR 26/ SN 115Gaskets
1016-1.1.1.1a-03	Diamond Plastics				20ft - SDR 35/ SN 46Integral bell and spigot-type20ft - SDR 26/ SN 115Gaskets
1016-1.1.1.1a-04	North American Pipe Corporation (NAPCO)				20ft - SDR 35/ SN 46Integral bell and spigot-type20ft - SDR 26/ SN 115Gaskets
1016-1.1.1.1a-05	Hawk Plastics	4" -	- 15″		20ft - SDR 35/ SN 46Integral bell and spigot-type20ft - SDR 26/ SN 115Gaskets
	PVC FITTIN	IGS	(TEES,	WYES, &	& TEE-WYES)
PRODUCT SOURCE CODE	SOURCE		PRODU	JCT	APPLICATION
1016-1.1.1.1a-07	Multi Fittings, Inc.		TOUGH PLUS • Lar Sew • Hea		Large Diameter Molded SDR 35 Sewer Fittings
1016-1.1.1.1a-08	GPK Products, Inc.	GPK Gaskete Sewer Fitting			 Gasketed Sewer Fittings (SDR 35) Gasketed Heavy Wall Sewer Fittings (SDR 26)
1016-1.1.1.1a-09	Harrington Cor (HARCO)	p.	o. Gasketed Sewer Fittings		 Gasketed Sewer Fittings (SDR 35) Gasketed Heavy Wall Sewer Fittings (SDR 26)

	LARGE DIAMETER CLOSED PROFILE PVC					
PRODUCT SOURCE CODE	SOURCE	SIZE/RATING	SDR/ STIFFNESS	JOINTS		
1016-1.1.1.1b-01	Vylon Heavy Duty Pipe	21" - 54"	PS 60	Integral bell and spigot-type Gaskets		

	PVC FOR TRENCHLESS APPLICATIONS				
PRODUCT SOURCE CODE	SOURCE	SIZE/RATING	SDR/ STIFFNESS	JOINTS	
1016-1.1.1.2-01	CertainTeed (Certa-Lok)	4" - 16"	SDR 18 (max) C900 ≤ 12″ C905 >12″	Twin Elastomeric sealing gaskets	
1016-1.1.1.2-02	Underground Solutions	4" - 16"	SDR 25 (max) C900 ≤ 12″ C905 >12″	Electrofusion	

HIGI	HIGH DENSITY POLYETHYLENE (HDPE) PIPE AND FITTINGS				
PRODUCT SOURCE CODE	SOURCE	PRODUCT NAME	SDR/STIFFNESS	JOINTS	
1016-1.1.2-01	Chrevon- Phillips	DriscoPlex	Pressure rating: 160 psi SDR 11 (max)	Electrofusion	
1016-1.1.2-02	JM Eagle	HDPE Pipe	Pressure rating: 160 psi SDR 11 (max)	Electrofusion	
1016-1.1.2-03	PolyPipe	PolyPipe (PW)	Pressure rating: 160 psi SDR 11 (max)	Electrofusion	
1016-1.1.2-04	WL Plastics	HDPE Pipe	Pressure rating: 160 psi SDR 11 (max)	Electrofusion	

		DUCTILE	IRON	PIPE	
PRODUCT SOURCE CODE	SOU	JRCE	JOIN	TS	
1016-1.2-01	Am Pipe	erican Ductile Iron e	• N • F • F	ush-on Joint Iechanical Joint Ianged Joint estrained Joint asket material shall be standard styrene utadiene rubber (SBR.)	
1016-1.2-02	U.S	Pipe	• N • F • F	ush-on Joint Iechanical Joint Ianged Joint estrained Joint asket material shall be standard styrene utadiene rubber (SBR.)	
1016-1.2-03	McV Co.	McWane Cast Iron Pipe Co.		ush-on Joint Iechanical Joint langed Joint estrained Joint asket material shall be standard styrene utadiene rubber (SBR.)	
1016-1.2-04	Grif	fin Pipe Products	 Push-on Joint Mechanical Joint Flanged Joint Restrained Joint Gasket material shall be standard styrene butadiene rubber (SBR.) 		
	DUCTILE IRON PIPE INTERIOR COATING				
PRODUCT SOUR CODE	RCE	SOURCE		PRODUCT	
1016-2.3f-01		Induron Protective Co	atings	Protecto 401 Ceramic epoxy lining	

	FIBERGLASS REINFORCED POLYMER (FRP) PIPE					
PRODUCT SOURCE CODE	SOURCE	SIZE/RATING	SDR/ STIFFNESS	JOINTS		
1016-1.4-01	Hobas Pipe Hobas, USA Houston,TX	18" or larger	SN 46	Glass reinforced plastic sleeve couplings Gaskets		
1016-1.4-02	Flowtite Pipe USCPS, LLC Zachary,LA	18" or larger	SN 46	Glass reinforced plastic sleeve couplings Gaskets		

EXTRA STRI	EXTRA STRENGTH CLAY PIPE FOR MICROTUNNELING AND PIPE-JACKED TUNNELS					
PRODUCT SOURCE CODE	SOURCE	SIZE/RATING	JOINTS			
1016-1.5-01	Mission Clay Products Corp. Corona, CA	6" and larger	Flush with outside diameter.			
1016-1.5-02	CanClay Corp. Cannelton, Indiana	6" and larger	Flush with outside diameter.			

FIBERGLAS	FIBERGLASS REINFORCED POLYMER (FRP) PIPE FOR MICROTUNNELING AND PIPE-JACKED TUNNELS					
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	STIFFNESS/ PRESSURE	JOINTS	
1016-1.6-01	Hobas Pipe	Hobas Pipe USA Houston, TX	18" and larger	Satisfy design requirements No less than 46 psi	Flush with outside diameter.	

POLYMER	POLYMER CONCRETE PIPE FOR MICROTUNNELING AND PIPE-JACKED TUNNELS					
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	JOINTS		
1016-1.7-01	Meyer Polycrete	USCPS, LLC Zachary, LA	8" and larger	Flush with outside diameter.		
1016-1.7-02	Meyer Polycrete	Meyer Pipes Engineering GmbH & Co. Lueneburg, Germany	8" and larger	Flush with outside diameter.		

(Product shall conform to section 1016.2- Force Main Sewer Pipe)

	Р	VC PRESSURE PIPE		
PRODUCT SOURCE CODE	SOURCE	SIZE/RATING	SDR/STIFFNESS	
1016-2.1-01	JM Eagle	AWWA C900≤ 12″ (235 psi)	SDR 18 (max)	
		AWWA C905 >12" (165 psi)	SDR 25 (max)	
1016-2.1-02	Certain Teed	AWWA C900≤ 12″ (235 psi)	SDR 18 (max)	
		AWWA C905 >12" (165 psi)	SDR 25 (max)	
1016-2.1-03	Freedom	AWWA C900≤ 12″ (235 psi)	SDR 18 (max)	
	Plastics	AWWA C905 >12" (165 psi)	SDR 25 (max)	
1016-2.1-04	North	AWWA C900≤ 12″ (235 psi)	SDR 18 (max)	
	American Pipe Corporation	AWWA C905 >12" (165 psi)	SDR 25 (max)	
1016-2.1-05	Underground	AWWA C900≤ 12″ (235 psi)	SDR 18 (max)	
	Solutions	AWWA C905 >12" through 16" (165 psi)	SDR 25 (max)	
	RESTRAIN	ING GLANDS FOR PVC PIP	E	
PRODUCT SOURCE CODE	SOURCE	PRODUCT		
1016-2.1d-01	EBAA Iron	Mechanical Joint Series 2000PV		
1016-2.1d-02	EBAA Iron	Restraint Harness Series 1600 and Series 2800		
1016-2.1d-03	Ford Meter Box	Uni-Flange Series 1390 and Series 1500		
1016-2.1d-04	Star Pipe	PVC Stargrip Series 4000 and	4100P	

	HIGH DENSITY POLYETHYLENE (HDPE) PIPE				
PRODUCT SOURCE CODE	SOURCE	PRODUCT	SIZE/RATING		
1016-2.2-01	Chrevon-Phillips	DriscoPlex 4200 and 4300	Pressure rating: 160 psi Maximum SDR of 11		
1016-2.2-02	JM Eagle	HDPE Pipe	Pressure rating: 160 psi Maximum SDR 11		
1016-2.2-03	PolyPipe	PolyPipe (PW)	Pressure rating: 160 psi Maximum SDR 11		
1016-2.2-04	WL Plastics	HDPE Pipe	Pressure rating: 160 psi Maximum SDR 11		

	DUCTILE IRON PIPE				
PRODUCT SOURCE C	CODE SOURCE	JOINTS			
1016-2.3-01	American Ductile Iron Pipe	 Push-on Joint Mechanical Joint Flanged Joint Restrained Joint Gasket material shall be standard styrene butadiene rubber (SBR.) 			
1016-2.3-02	U.S. Pipe	 Push-on Joint Mechanical Joint Flanged Joint Restrained Joint Gasket material shall be standard styrene butadiene rubber (SBR.) 			
1016-2.3-03	McWane Cast Iron Pipe Co.	 Push-on Joint Mechanical Joint Flanged Joint Restrained Joint Gasket material shall be standard styrene butadiene rubber (SBR.) 			
1016-2.3-04	Griffin Pipe Products	 Push-on Joint Mechanical Joint Flanged Joint Restrained Joint Gasket material shall be standard styrene butadiene rubber (SBR.) 			
	DUCTILE IRON PIPE FITTINGS				
PRODUCT SOURCE CODE	SOURCE	APPLICATION			
1016-2.3b-01	American Ductile Iron Pipe	Ductile Iron and PVC Force mains			
1016-2.3b-02	U.S. Pipe	Ductile Iron and PVC Force mains			

r		1
1016-2.3b-03	Tyler Union	Ductile Iron and PVC Force mains
1016-2.3b-04	CLOW Water Systems Co.	Ductile Iron and PVC Force mains
1016-2.3b-05	Star Pipe	Ductile Iron and PVC Force mains
RES	STRAINING GLANDS FOR D	UCTILE IRON PIPE
PRODUCT SOURCE CODE	SOURCE	APPLICATION
1016-2.3m-01	EBAA Iron	MegaLug Model 1100
1016-2.3m-02	Ford Meter Box	Uni-Flange Series 1500
1016-2.3m-02	Star Pipe	PVC Stargrip Series 3000 and 3000S
	DUCTILE IRON PIPE INTER	IOR COATING
PRODUCT SOURCE CODE	SOURCE	PRODUCT
1016-2.3f-01	Induron Protective Coatings	Protecto 401 Ceramic epoxy lining

(Product shall conform to section 1019- Valves and Appurtenances)

GATE VALVES				
Non-rising Stem				
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	
1019-4a-01	Figure 438, NPT threaded ends	Crane	3 inches and smaller	
1019-4a-02	Figure B103, NPT threaded ends	Stockham	3 inches and smaller	
1019-4a-03	Figure 1320, soldered ends	Crane	3 inches and smaller	
1019-4a-04	Figure B104, soldered ends	Stockham	3 inches and smaller	
GATE VALVES				
	Rising Ster	m		
PRODUCT PRODUCT SOURCE SIZE/RATING SOURCE CODE SOURCE SOURCE SIZE/RATING				
1019-4b-05	Figure 428, NPT threaded ends	Crane	3 inches and smaller	
1019-4b-06	Figure B-100, NPT threaded ends	Stockham	3 inches and smaller	
1019-4b-07	Figure 1330, soldered ends	Crane	3 inches and smaller	
1019-4b-08	Figure B-108, soldered ends	Stockham	3 inches and smaller	

RESILIENT SEATED GATE VALVE				
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING	
1019-4-01	AWWA C509	M&H Valve	3-12 inches	
1019-4-02	AWWA C515	M&H Valve	4-36 inches	
1019-4-03	A-USPO	U.S. Pipe	3-20 inches	
1019-4-04	Series 2360	Mueller Water Products	3-12 inches	
1019-4-05	Series 2361	Mueller Water Products	14-48 inches	
1019-4-06	Series 2500 RWGV	American Flow Control	3-66 inches	

PLUG VALVES			
PRODUCT SOURCE CODE	SOURCE	SIZE	
1019-05-01	Val-matic 5700	4-30 inches	
1019-05-02	DeZurik PEF/PEC	4-72 inches	

CHECK VALVES Lever and Spring Swing Check Valves				
PRODUCT SOURCE CODE	SOURCE	SIZE/RATING		
1019-06a-01	Mueller Series 2600	3" - 12" - 175psi		
1019-06a-02	Mueller Series 8100	14" - 36" - 150psi		
1019-06a-03	M&H Valve Style 259	3" - 12" - 175psi 14" - 36" - 150psi		
1019-06a-04	Golden Anderson Fig 340-S	3" - 24" - 250psi		
CHECK VALVES				
	Rubber Flapper Swing Check Valves			
PRODUCT SOURCE CODE	SOURCE	SIZE/RATING		
1019-06b-01	Val-matic Series VM-500A	3″-≤30″ - 250 psi 30″-48″ – 150 psi		
1019-06b-02	Golden Anderson Fig 200BF	3" - 24" - 250 psi		
1019-06b-03	Danfoss Flomatic Model 745 BFPI	3"-12" - 250 psi 14"-24" – 175 psi		

QUICK CONNECT COUPLINGS			
PRODUCT SOURCE CODE PRODUCT SOURCE			
1019-07-01	Model PF-C coupler with Model 634A plug	Dover Corporation OPW Division	

AIR AND VACUUM VALVES			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
1019-08-01	Model D-025 (combo)	A.R.I. USA Inc.	
1019-08-02	Series 800 (combo)	Val-matic Valve and Manufacturing Company	
1019-08-03	Series 300 (air/vacuum)	Val-matic Valve and Manufacturing Company	
1019-08-04	Series 48ABW (air release)	Val-matic Valve and Manufacturing Company	

CORPORATION STOPS			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	SIZE/RATING
1019-09-01	H-15029	Mueller Company	³ ⁄4″, 100 psi pressure rating

FLANGE ADAPTER COUPLINGS			
PRODUCT SOURCE CODEPRODUCTSOURCESIZE/RATING			
1019-10-01	Style 127	Dresser Company	≤ 12 inches
1019-10-02	Style 128-W	Dresser Company	>12 inches

FLEXIBLE COUPLINGS Victaulic Type Couplings			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
1019-11-01	Style 741	Victaulic Vic Flange	
FLEXIBLE COUPLINGS			
Sleeve Couplings			
PRODUCT SOURCE CODE PRODUCT SOURCE			
1019-11-02	Style 40 (long body)	Dresser	
1019-11-03	Style 38 (short body)	Dresser	

DIAPHRAGM SEALS			
PRODUCT SOURCE CODE PRODUCT SOURCE			
1019-12-01	Type SB	Mansfield and Green	
1019-12-02Series 40 Flanged SensorRed Valve Company			

MECHANICAL WALL SEALS			
PRODUCT SOURCE CODE PRODUCT SOURCE			
1019-14-01	Link-Seal	Thunderline Corporation	

HOSE END FAUCETS			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
1019-15-01	Model Z-1385	Zurn	

PRESSURE GAGES			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
1019-16-01	Series 450	H.O. Trerice Company	

REDUCED PRESSURE BACKFLOW PREVENTERS			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
1019-17-01	Model FRP-11	Beeco-Hersey	
1019-17-02	6 CM	Beeco-Hersey	

DIAPHRAGM AND FLAP CHECK VALVES			
PRODUCT SOURCE CODE	PRODUCT	SOURCE	
1019-18-01	Series TF-2 Compression Bands	Red Valve	
1019-18-02	Figure No. F-3016	CLOW Water Systems Co.	